

DESIGN
NEW
VISION


WWW.LIYUPRINTER.COM



LIYU NORDIC
+370 659 58 820
sales@liyunordic.com
www.liyunordic.com
Savanorių pr. 178F, Vilnius, Lithuania

2880
dpi

KC Printer




DESIGN
NEW
VISION

PLATINUM SERIES

RICOH



KONICA MINOLTA



Technical Specifications

Printing Heads	KM 1024i - Ricoh Gen5
Printhead Quantity	16 (Max.) - 8 (Max.)
Drop Volume	13 Pl. - 7 Pl.
Color Scale	CMYK + White + Varnish + Lc + Lm
INK Type	UV - LED
Drying System	UV Curing - LED Curing
Flat-Bed Size	2500 mm x 1250mm / 3050mm x 2050mm
Print Height	100 mm
Print Resolution	2880 dpi
Printing Speed Up to	110 m ² /h - 40 m ² /h
RIP Software	Photo Print - Caldera (Opt.)
Hardware	LCD Monitor
Power Requirement	230v (+/-) 10% / 40A / 50HZ / 60HZ
Machine Size 2512	2200 mm x 5220 mm x 1530mm
Machine Size 3020	3000 mm x 5800 mm x 1530mm
Machine Weight	1370 - 2500 kg.